

This is a selected series of recent references relating to the inflammatory response of open heart surgery, therapies to ameliorate this response, minimally invasive cardiac surgery, neurological changes after surgery and myocardial and reperfusion injury. This list is not exhaustive and is confined to the last three years. There are review articles included that relate to earlier works in these areas.

Inflammatory Response

- Ascione R, Lloyd CT, Underwood MJ, Lotto AA, Pitsis AA, Angelini GD, Inflammatory response after coronary revascularization with or without cardiopulmonary bypass. *Ann Thorac Surg* 69(4):1198–1204, 2000.
- Asimakopoulos G, Mechanisms of the systemic inflammatory response. *Perfusion* 14(4):269–277, 1999.
- Boyle EM, Jr., Morgan EN, Kovacich JC, Canty TG, Jr., Verrier ED, Microvascular responses to cardiopulmonary bypass. *J Cardiothorac Vasc Anesth* 13, (4 Suppl 1):30–35, 1999.
- Brasil LA, Gomes WJ, Salomao R, Buffolo E, Inflammatory response after myocardial revascularization with or without cardiopulmonary bypass. *Ann Thorac Surg* 66(1):56–59, 1998.
- Czerny M, Baumer H, Kilo J, Lassnigg A, Hamwi A, Vukovich T et al., Inflammatory response and myocardial injury following coronary artery bypass grafting with or without cardiopulmonary bypass. *Eur J Cardiothorac Surg* 17(6):737–742, 2000.
- Diegeler A, Tarnok A, Rauch T, Haberer D, Falk V, Battellini R et al., Changes of leukocyte subsets in coronary artery bypass surgery: cardiopulmonary bypass versus “off-pump” techniques. *Thorac Cardiovasc Surg* 46(6):327–332, 1998.
- Harig F, Cesnjevar R, Mahmoud FO, von der Emde J, Perioperative factors influencing interleukin-10 release under cardiopulmonary bypass. *Thorac Cardiovasc Surg* 47(6): 361–368, 1999.
- Horton SB, Butt WW, Mullaly RJ, Thuys CA, O’Connor EB, Byron K et al., IL-6 and IL-8 levels after cardiopulmonary bypass are not affected by surface coating. *Ann Thorac Surg* 68(5):1751–1755, 1999.
- Ilton MK, Langton PE, Taylor ML, Misso NL, Newman M, Thompson PJ et al., Differential expression of neutrophil adhesion molecules during coronary artery surgery with cardiopulmonary bypass. *J Thorac Cardiovasc Surg* 118(5):930–937, 1999.
- John AE, Galea J, Francis SE, Holt CM, Finn A, Interleukin-8 mRNA expression in circulating leucocytes during cardiopulmonary bypass. *Perfusion* 13(6):409–417, 1998.
- Nandate K, Vuylsteke A, Crosbie AE, Messahel S, Oduro-Dominah A, Menon DK, Cerebrovascular cytokine responses during coronary artery bypass surgery: specific production of interleukin-8 and its attenuation by hypothermic cardiopulmonary bypass. *Anesth Analg* 89(4):823–828, 1999.
- Richter JA, Meisner H, Tassani P, Barankay A, Dietrich W, Braun SL, Drew-Anderson technique attenuates systemic inflammatory response syndrome and improves respiratory function after coronary artery bypass grafting. *Ann Thorac Surg* 69(1):77–83, 2000.
- Struber M, Cremer JT, Gohrbandt B, Hagl C, Jankowski M, Volker B et al., Human cytokine responses to coronary artery bypass grafting with and without cardiopulmonary bypass. *Ann Thorac Surg* 68(4): 1330–1335, 1999.
- Wan S, LeClerc JL, Schmartz D, Barvais L, Huynh CH, Deviere J et al., Hepatic release of interleukin-10 during cardiopulmonary bypass in steroid-pretreated patients. *Am Heart J* 133(3):335–339, 1997.
- Wan S, LeClerc JL, Vincent JL, Inflammatory response to cardiopulmonary bypass: mechanisms involved and possible therapeutic strategies. *Chest* 112(3):676–692, 1997.

Therapies to Reduce Inflammatory Response and Its Effects

- Andrews RJ, Neuroprotective “agents” in surgery. Secret “agent” man, or common “agent” machine? *Ann N Y Acad Sci* 890:59–72, 1999.
- Asimakopoulos G, Thompson R, Nourshargh S, Liddington EA, Mason JC, Ratnatunga CP et al., An anti-inflammatory property of aprotinin detected at the level of leukocyte extravasation. *J Thorac Cardiovasc Surg* 120(2):361–369, 2000.
- Bidstrup BP, Hunt BJ, Sheikh S, Parratt RN, Bidstrup JM, Sapsford RN, Amelioration of the bleeding tendency of preoperative aspirin after aortocoronary bypass grafting. *Ann Thorac Surg* 69(2): 541–547, 2000.
- Budde JM, Velez DA, Zhao Z, Clark KL, Morris CD, Muraki S et al., Comparative study of AMP579 and adenosine in inhibition of neutrophil-mediated vascular and myocardial injury during 24 hours of reperfu-

- sion. *Cardiovasc Res* 47(2):294–305, 2000.
- Casati V, Guzzon D, Oppizzi M, Bellotti F, Franco A, Gerli C et al. Tranexamic acid compared with high-dose aprotinin in primary elective heart operations: effects on perioperative bleeding and allogeneic transfusions. *J Thorac Cardiovasc Surg* 120(3):520–527, 2000.
 - Cattaneo M, Mannucci PM, Current status of non-transfusional haemostatic agents. *Haematologica* 84: 120–123, 1999.
 - Fitch JC, Rollins S, Matis L, Alford B, Aranki S, Collard CD et al., Pharmacology and biological efficacy of a recombinant, humanized, single-chain antibody C5 complement inhibitor in patients undergoing coronary artery bypass graft surgery with cardiopulmonary bypass. *Circulation* 100(25):2499–2506, 1999.
 - Gilliland HE, Armstrong MA, Uprichard S, Clarke G, McMurray TJ, The effect of aprotinin on interleukin-8 concentration and leukocyte adhesion molecule expression in an isolated cardiopulmonary bypass system. *Anaesthesia* 54(5):427–433, 1999.
 - Gu YJ, de Vries AJ, Vos P, Boonstra PW, van Oeveren W, Leukocyte depletion during cardiac operation: a new approach through the venous bypass circuit. *Ann Thorac Surg* 67(3):604–609, 1999.
 - Hayashi Y, Sawa Y, Nishimura M, Tojo SJ, Ichikawa H, Satoh H et al., P-selectin monoclonal antibody may attenuate the whole body inflammatory response induced by cardiopulmonary bypass. *Asaio J* 46(3): 334–337, 2000.
 - Holmes JH, Jones MF, Anderson RP, Knopes KD, Guyton SW, Hall RA, The use of micro-dose aprotinin with continuous infusion in coronary artery bypass surgery. *J Cardiovasc Surg (Torino)* 40(5):621–626, 1999.
 - Liu Y, Wang Q, Zhu X, Liu D, Pan S, Ruan Y et al., Pulmonary artery perfusion with protective solution reduces lung injury after cardiopulmonary bypass. *Ann Thorac Surg* 69(5):1402–1407, 2000.
 - Mannucci PM, Hemostatic drugs. *N Engl J Med* 339(4): 245–253, 1998.
 - Poullis M, Manning R, Laffan M, Haskard DO, Taylor KM, Landis RC, The antithrombotic effect of aprotinin: actions mediated via the proteaseactivated receptor 1. *J Thorac Cardiovasc Surg* 120(2):370–378, 2000.
 - Rahman A, Ustunda B, Burma O, Ozercan IH, Cekird-ekci A, Bayar MK, Does aprotinin reduce lung reperfusion damage after cardiopulmonary bypass? *Eur J Cardiothorac Surg* 18(5):583–588, 2000.
 - Reents W, Babin-Ebell J, Misoph MR, Schwarzkopf A, Elert O, Influence of different autotransfusion devices on the quality of salvaged blood. *Ann Thorac Surg* 68(1):58–62, 1999.
 - Rubens FD, Ruel M, Lavallee G, Watson M, Robblee J, Wozny D et al., Circuits with surface modifying additive alter the haemodynamic response to cardiopulmonary bypass. *Eur J Cardiothorac Surg* 15(3):353–358, 1999.
 - Saito N, Motoyama S, Sawamoto J, Effects of new polymer-coated extracorporeal circuits on biocompatibility during cardiopulmonary bypass. *Artif Organs* 24(7): 547–554, 2000.
 - Yamazaki T, Ooshima H, Usui A, Watanabe T, Yasuura K, Protective effects of ONO-5046*Na, a specific neutrophil elastase inhibitor, on postperfusion lung injury. *Ann Thorac Surg* 68(6): 2141–2146, 1999.
- Minimally Invasive Cardiac Surgery**
- Bedi HS, Suri A, Kalkat MS, Sengar BS, Mahajan V, Chawla R et al., Global myocardial revascularization without cardiopulmonary bypass using innovative techniques for myocardial stabilization and perfusion. *Ann Thorac Surg* 69(1):156–164, 2000.
 - Boyd WD, Desai ND, Del Rizzo DE, Novick RJ, McKenzie FN, Menkis AH, Off-pump surgery decreases postoperative complications and resource utilization in the elderly. *Ann Thorac Surg* 68(4):1490–1493, 1999.
 - Calafiore AM, Vitolla G, Iovino T, Iaco AL, Mazzei V, Commodo M, Left anterior small thoracotomy (LAST): mid-term results in single vessel disease. *J Card Surg* 13(4):306–309, 1998.
 - Cichon R, Kappert U, Schneider J, Schramm I, Gulielmos V, Tugtekin SM et al., Robotic-enhanced arterial revascularization for multivessel coronary artery disease. *Ann Thorac Surg* 70(3):1060–1062, 2000.
 - Damiano RJ, Jr., Ehrman WJ, Ducko CT, Tabaie HA, Stephenson ER, Jr., Kingsley CP et al., Initial United States clinical trial of robotically assisted endoscopic coronary artery bypass grafting. *J Thorac Cardiovasc Surg* 119(1):77–82, 2000.
 - Doty JR, Fonger JD, Salazar JD, Walinsky PL, Salomon NW, Early experience with minimally invasive direct coronary artery bypass grafting with the internal thoracic artery. *J Thorac Cardiovasc Surg* 117(5):873–880, 1999.
 - Emery RW, Arom KV, Emery AM, Complete revascularization on cardiopulmonary bypass: a closer look at existing technology. *Eur J Cardiothorac Surg* 16(1): S66–S68, 1999.
 - Falk V, Diegeler A, Walther T, Banusch J, Brucerius J, Raumanns J et al., Total endoscopic computer enhanced coronary artery bypass grafting. *Eur J Cardiothorac Surg* 17(1):38–45, 2000.
 - Groh MA, Sutherland SE, Burton HG, 3rd, Johnson AM, Ely SW, Port-access coronary artery bypass grafting: technique and comparative results. *Ann Thorac Surg* 68(4):1506–1508, 1999.
 - Gulielmos V, Knaut M, Cichon R, Brandt M, Jost T, Matschke K et al., Minimally invasive surgical treatment of coronary artery multivessel disease. *Ann Thorac Surg* 66(3):1018–1021, 1998.
 - Guyton RA, Thourani VH, Puskas JD, Shanewise JS, Steele MA, Palmer-Steele CL et al., Perfusion-assisted direct coronary artery bypass: selective graft perfusion in off-pump cases. *Ann Thorac Surg* 69(1):171–175, 2000.
 - Jegger D, Tevaeearai HT, Horisberger J, Mueller XM, Boone Y, Pierrel N et al., Augmented venous return for minimally invasive open heart surgery with selective

caval cannulation. *Eur J Cardiothorac Surg* 16(3):312–316, 1999.

- Kappert U, Gulielmos V, Knaut M, Cichon R, Schneider J, Schueler S, The application of the Octopus stabilizing system for the treatment of high risk patients with coronary artery disease. *Eur J Cardiothorac Surg* 16(2):S7–S9, 1999.
- Kappert U, Schneider J, Cichon R, Gulielmos V, Matschke K, Tugtekin SM et al., Wrist-enhanced instrumentation: moving toward totally endoscopic coronary artery bypass grafting. *Ann Thorac Surg* 70(3):1105–1108, 2000.
- Kshetry VR, Flavin TF, Emery RW, Nicoloff DM, Arom KV, Petersen RJ, Does multivessel, off-pump coronary artery bypass reduce postoperative morbidity? *Ann Thorac Surg* 69(6):1725–1730 2000.
- Mariani MA, Gu YJ, Boonstra PW, Grandjean JG, van Oeveren W, Ebels T, Procoagulant activity after off-pump coronary operation: is the current anticoagulation adequate? *Ann Thorac Surg* 67(5):1370–1375, 1999.
- Miyaji K, Wolf RK, Flege JB, Jr., Minimally invasive direct coronary artery bypass for redo patients. *Ann Thorac Surg* 67(6):1677–1681, 1999.
- Reichenspurner H, Damiano RJ, Mack M, Boehm DH, Gulbins H, Detter C et al., Use of the voice-controlled and computer-assisted surgical system ZEUS for endoscopic coronary artery bypass grafting. *J Thorac Cardiovasc Surg* 118(1):11–16, 1999.
- Watson DR, Duff SB, The clinical and financial impact of port-access coronary revascularization. *Eur J Cardiothorac Surg* 16(1):S103–S106, 1999.
- Watson DR, Watson WD, Modification of port-access coronary artery bypass in high-risk patients. *Ann Thorac Surg* 68(4):1517–1519, 1999.

Neuropsychological Injury after Cardiac Surgery

- Browne SM, Halligan PW, Wade DT, Taggart DP, Cognitive performance after cardiac operation: implications of regression toward the mean. *J Thorac Cardiovasc Surg* 117(3):481–485, 1999.
- Grimm M, Czerny M, Baumer H, Kilo J, Madl C, Kramer L et al., Normothermic cardiopulmonary bypass is beneficial for cognitive brain function after coronary artery bypass grafting - a prospective randomized trial [In Process Citation]. *Eur J Cardiothorac Surg* 18(3):270–275, 2000.
- Gulielmos V, Eller M, Thiele S, Dill HM, Jost T, Tugtekin SM et al., Influence of median sternotomy on the psychosomatic outcome in coronary artery single-vessel bypass grafting. *Eur J Cardiothorac Surg* 16(2):S34–S38, 1999.
- Langley SM, Chai PJ, Tsui SS, Jagers JJ, Ungerleider RM, The effects of a leukocyte-depleting filter on cerebral and renal recovery after deep hypothermic circulatory arrest. *J Thorac Cardiovasc Surg* 119(6):1262–1269, 2000.
- Malheiros SM, Massaro AR, Buffolo E, Neurologic com-

plications in coronary surgery without cardiopulmonary. *Ann Thorac Surg* 69(6):1992–1993, 2000.

- Murkin JM, Etiology and incidence of brain dysfunction after cardiac surgery. *J Cardiothorac Vasc Anesth* 13(4 Suppl 1):12–17, 1999.
- Murkin JM, Neurological outcomes after OPCAB: how much better is it? *Heart Surg Forum* #2000-30945 3(3):207–210, 2000.
- Murkin JM, Stump DA, Conference on cardiac and vascular surgery: neurobehavioral assessment, physiological monitoring and cerebral protective strategies. Introduction. *Ann Thorac Surg* 70(5):1767–1769, 2000.
- Taggart DP, Browne SM, Halligan PW, Wade DT, Is cardiopulmonary bypass still the cause of cognitive dysfunction after cardiac operations? *J Thorac Cardiovasc Surg* 118(3):414–420, 1999.

Myocardial Injury and Reperfusion

- Ahmet I, Sawa Y, Nishimura M, Yamaguchi T, Kitakaze M, Matsuda H, Myocardial protection using diadenosine tetraphosphate with pharmacological preconditioning. *Ann Thorac Surg* 70(3):901–905, 2000.
- Buckberg GD, Editorial: endothelial and myocardial stunning. *J Thorac Cardiovasc Surg* 120(4):640–641, 2000.
- Fiolet JW, Reperfusion injury and ischemic preconditioning: two sides of a coin?. *Cardiovasc Res* 48(2):185–187, 2000.
- Futterman LG, Lemberg L. Hibernating myocardium, stunning, ischemic preconditioning: clinical relevance. *Am J Crit Care* 9(6):430–436, 2000.
- Hiramatsu Y, Koishizawa T, Matsuzaki K, Enomoto Y, Sakakibara Y, Leukocyte-depleted blood cardioplegia reduces cardiac troponin T release in patients undergoing coronary artery bypass grafting. *Jpn J Thorac Cardiovasc Surg* 48(10):625–631, 2000.
- Kinlay S, Ganz P, Relation between endothelial dysfunction and the acute coronary syndrome: implications for therapy. *Am J Cardiol* 86(8B):10J–13J, 2000.
- Lee JR, Han JJ, Seo JW, Correlation between ICAM-1 and functional recovery of piglet myocardium with leukocyte-depleted reperfusion. *Ann Thorac Surg* 70(5):1531–1535, 2000.
- Maulik N, Yoshida T, Oxidative stress developed during open heart surgery induces apoptosis: reduction of apoptotic cell death by ebselen, a glutathione peroxidase mimic. *J Cardiovasc Pharmacol* 36(5):601–608, 2000.
- Murai N, Imazeki T, Shioguchi S, Saitou M, Gon S, Yoshida H et al., Leukocyte-depleted continuous blood cardioplegia for coronary artery bypass grafting. *Jpn Heart J* 41(4):425–433, 2000.
- Roth M, Kraus B, Scheffold T, Reuthebuch O, Klovekorn WP, Bauer EP, The effect of leukocyte-depleted blood cardioplegia in patients with severe left ventricular dysfunction: A randomized, double-blind study. *J Thorac Cardiovasc Surg* 120(4):642–650, 2000.
- Sies H, Parnham M, Ebselen. Prospective therapy for

- cerebral ischaemia. *Expert Opin Investig Drugs* 9(3): 607–619, 2000.
- Weman SM, Karhunen PJ, Penttila A, Jarvinen AA, Salminen US, Reperfusion injury associated with one-fourth of deaths after coronary artery bypass grafting. *Ann Thorac Surg* 70(3):807–812, 2000.
 - Yellon DM, Baxter GF, Reperfusion injury revisited. Is there a role for growth factor signaling in limiting lethal reperfusion injury? *Trends Cardiovasc Med* 9(8): 245–249, 1999.